# THD fragranze d'arredo

# **SAFETY DATA SHEET**

## **EMOTION RD EXTRA**

Issued on 01/24/2018 - Rel. # 3 on 01/29/2019

#1/12

In conformity to Regulation (EU) 2015/830

# SECTION 1. Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Product code: EMOTION RD EXTRA

Trades code: TH\_005

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Sectors of use: Private households[SU21] Product category: Room fragrance

Uses advised against
Do not use for purposes other than those listed

## 1.3. Details of the supplier of the safety data sheet

TOP HOUSE S.r.I.
Zona Industriale Piane S.Andrea, snc
64032 Atri (TE) - Italy
Tel. +39 085 8780094 - +39 085 8780042
Fax +39 085 8780832
email: thd@thd-tophouse.com
web: thd-tophouse.com

Produced by TOP HOUSE S.r.I. Zona Industriale Piane S.Andrea, snc - 64032 Atri (TE) Tel. +39 085 8780094 - 085 8780042 Fax +39 085 8780832

# 1.4. Emergency telephone number

TOP HOUSE S.r.I. - Tel. +39 085 8780094 - +39 085 8780042

Centro Antiveleni di Torino: Tel. 011 6637637 - CAV Azienda ospedaliera "S.G.Battista" - Molinette (TO)

Centro Antiveleni di Pavia: Tel. 0382 24444 - CAV IRCCs Fondazione Mugeri (PV) Centro Antiveleni di Roma: Tel. 06 3054343 - CAV Policlinico Gemelli (RM) Centro Antiveleni di Napoli: Tel.081 7472870 - CAV Ospedale Cardarelli (NA) Centro Antiveleni di Genova: Tel. 010 5636245 - CAV Ospedale G. Gaslini (GE)

# **SECTION 2. Hazards identification**

# 2.1. Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) No 1272/2008:

Pictograms: GHS02, GHS07, GHS09

Hazard Class and Category Code(s):



## **EMOTION RD EXTRA**

Issued on 01/24/2018 - Rel. # 3 on 01/29/2019

#2/12

In conformity to Regulation (EU) 2015/830

Flam. Liq. 2, Skin Sens. 1B, Eye Irrit. 2, Aquatic Chronic 2

Hazard statement Code(s):

H225 - Highly flammable liquid and vapour.

H317 - May cause an allergic skin reaction.

H319 - Causes serious eve irritation.

H411 - Toxic to aquatic life with long lasting effects.

The product easy inflames if subordinate to an ignition source.


If brought into contact with eyes, the product, causes significant irritations which may last for more than 24 hours.

The product, if brought into contact with skin can cause skin sensitization.


The product is dangerous to the environment as it is toxic to aquatic life with long lasting effects

#### 2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008:



GHS02, GHS07, GHS09 - Danger



H225 - Highly flammable liquid and vapour.

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H411 - Toxic to aquatic life with long lasting effects.

## Supplemental Hazard statement Code(s):

not applicable

## Precautionary statements:

#### General

P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

## Prevention

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 - Keep container tightly closed.

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 - Avoid release to the environment.

# Response

P302+P352 - IF ON SKIN: Wash with plenty of water/...

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P363 - Wash contaminated clothing before reuse.

P391 - Collect spillage.

#### Storage

P403+P235 - Store in a well-ventilated place. Keep cool.

## Contains:

2-acetoxy-2,3,8,8-tetramethyloctahydronaphthal ene, Cashmeran, Cyclamen aldehyde, Geraniol, Geranyl acetate, Hexyl salicylate, Hydroxy-citronellal, MMDHCA, Nérol, Trimofix O

### 2.3. Other hazards

The substance / mixture NOT contains substances PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII

No information on other hazards









# EMOTION\_RD EXTRA

Issued on 01/24/2018 - Rel. # 3 on 01/29/2019

#3/12

In conformity to Regulation (EU) 2015/830

Packaging to be fitted with a tactile warning

# SECTION 3. Composition/information on ingredients

# 3.1 Substances

Irrilevant

# 3.2 Mixtures

Refer to paragraph 16 for full text of hazard statements

Substance	Concentration	Classification	Index	CAS	EINECS	REACh
propan-2-ol	> 1 <= 5%	Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336	603-117-00-0	67-63-0	200-661-7	
Benzyl salicylate	> 1 <= 5%	Skin Irrit. 2, H315; Eye Irrit. 2, H319		118-58-1		
Vanillin	> 0,1 <= 1%	Eye Irrit. 2, H319		121-33-5	204-465-2	
Hexyl cinnam-aldehyd	> 0,1 <= 1%	Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335		101-86-0		
Methyl anthranilate	> 0,1 <= 1%	Eye Irrit. 2, H319		134-20-3	205-132-4	
Alpha isomethyl ionone	> 0,1 <= 1%	Aquatic Chronic 3, H412		127-51-5		
Amyl salicylate	> 0,1 <= 1%	Acute Tox. 4, H302; Aquatic Acute 1, H400; Aquatic Chronic 1, H410		2050-08-0	218-080-2	
Nérol	> 0,1 <= 1%	Skin Corr. 2, H315; Skin Sens. 1B, H317; Eye Dam. 1, H318		106-25-2	203-378-7	01-2119983 244-33-****
2-acetoxy-2,3,8,8-tetramethylocta hydronaphthal ene	> 0,1 <= 1%	Skin Corr. 2, H315; Skin Sens. 1B, H317; Aquatic Chronic 1, H410		54464-57-2	259-174-3	01-2119489 989-04-***
MMDHCA	> 0,1 <= 1%	Skin Sens. 1B, H317; Aquatic Chronic 2, H411		1205-17-0	214-881-6	
Cashmeran	> 0,1 <= 1%	Skin Corr. 2, H315; Skin Sens. 1B, H317; Eye Irrit. 2, H319; Aquatic Chronic 2, H411	kin Sens. 1B, H317; Eye Irrit. 2, H319; Aquatic Chronic 2,		01-2119977 131-40-000 0	
Geraniol	> 0,1 <= 1%	Skin Irrit. 2, H315; Skin Sens. 1, H317; Eye Dam. 1, H318		106-24-1		
Geranyl acetate	> 0,1 <= 1%	Skin Corr. 2, H315; Skin Sens. 1B, H317; Aquatic Chronic 3, H412		105-87-3	203-341-5	
Hexyl salicylate	> 0,1 <= 1%	Skin Corr. 2, H315; Skin Sens. 1, H317; Aquatic Acute 1, H400; Aquatic		6259-76-3	228-408-6	01-2119638 275-36-****



## **EMOTION RD EXTRA**

Issued on 01/24/2018 - Rel. # 3 on 01/29/2019

#4/12

## In conformity to Regulation (EU) 2015/830

Substance	Concentration	Classification	Index	CAS	EINECS	REACh
		Chronic 1, H410				
Indole	> 0,1 <= 1%	Acute Tox. 4, H302; Acute Tox. 3, H311		120-72-9	204-420-7	
Trimofix O	> 0,1 <= 1%	Skin Sens. 1B, H317; Aquatic Acute 1, H400; Aquatic Chronic 1, H410		28371-99-5	482-330-9	
Cyclamen aldehyde	Skin Corr. 2, H3 Skin Sens. 1B, H3 Aquatic Chronic H412			103-95-7	203-161-7	
Hydroxy-citronellal	> 0,1 <= 1%	Skin Irrit. 2, H315; Skin Sens. 1, H317; Eye Dam. 1, H318; Eye Irrit. 2, H319		107-75-5		

# Fractionated global values

H225	= 77,00	H319	= 12,05	H336	= 3,85	H315	= 10,40
H317	= 8,20	H410	= 3,40	H302	= 3,40	H400	= 2,60
H412	= 3,40	H411	= 1,60	H318	= 2,60	H311	= 0,80
H335	= 1.00						

# **SECTION 4. First aid measures**

## 4.1. Description of first aid measures

## Inhalation:

Air the area. Move immediately the contaminated patient from the area and keep him at rest in a well ventilated area. If you feel unwell seek medical advice.

Direct contact with skin (of the pure product).:

Take contaminated clothing Immediately off.

Wash immediately with plenty of running water and possibly with soap, the areas of the body that have, or are only suspected to have, come in contact with the product.

In case of contact with skin, wash immediately with water

Direct contact with eyes (of the pure product).:

Wash immediately and thoroughly with running water, keeping eyelids open for at least 10 minutes, then protect your eyes with a dry sterile gauze. Seek medical advice immediately

#### Ingestion:

Not hazardous. It's possible to give activated charcoal in water or liquid paraffin medicine

# 4.2. Most important symptoms and effects, both acute and delayed

No data available.

## 4.3. Indication of any immediate medical attention and special treatment needed

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

If medical advice is needed, have product container or label at hand.



## **EMOTION RD EXTRA**

Issued on 01/24/2018 - Rel. # 3 on 01/29/2019

#5/12

In conformity to Regulation (EU) 2015/830

# **SECTION 5. Firefighting measures**

## 5.1. Extinguishing media

Advised extinguishing agents: CO2 or dry powder extinguisher

Extinguishing means to avoid:

Water jets. Use water jets only to cool the surfaces of the containers exposed to fire.

## 5.2. Special hazards arising from the substance or mixture

No data available.

## 5.3. Advice for firefighters

Use protection for the breathing apparatus

Safety helmet and full protective suit.

The spray water can be used to protect the people involved in the extinction

You may also use selfrespirator, especially when working in confined and poorly ventilated area and if you use halogenated extinguishers (Halon 1211 fluobrene, Solkan 123, NAF, etc...)

Keep containers cool with water spray

## **SECTION 6. Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

# 6.1.1 For non-emergency personnel:

Leave the area surrounding the spill or release. Do not smoke

Wear gloves and protective clothing

## 6.1.2 For emergency responders:

Wear gloves and protective clothing.

Eliminate all unquarded flames and possible sources of ignition. No smoking.

Provision of sufficient ventilation.

Evacuate the danger area and, in case, consult an expert.

## 6.2. Environmental precautions

Contain spill with earth or sand.

If the product has entered a watercourse in sewers or has contaminated soil or vegetation, notify it to the authorities.

Discharge the remains in compliance with the regulations

# 6.3. Methods and material for containment and cleaning up

#### 6.3.1 For containment:

Rapidly recover the product, wear a mask and protective clothing

Recover the product for reuse, if possible, or for removal. Possibly absorb it with inert material.

Prevent it from entering the sewer system.

# 6.3.2 For cleaning up:

To clean the floor and all objects contaminated by this material use water

After wiping up, wash with water the area and materials involved



## **EMOTION RD EXTRA**

Issued on 01/24/2018 - Rel. # 3 on 01/29/2019

#6/12

In conformity to Regulation (EU) 2015/830

6.3.3 Other information: Nothing in particular.

#### 6.4. Reference to other sections

Refer to paragraphs 8 and 13 for more information

# **SECTION 7. Handling and storage**

#### 7.1. Precautions for safe handling

Avoid contact and inhalation of vapors

In residential areas do not use on large surfaces.

Do not smoke at work

At work do not eat or drink.

Contaminated work clothing should not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

See also paragraph 8 below.

# 7.2. Conditions for safe storage, including any incompatibilities

Keep in original container closed tightly. Do not store in open or unlabeled containers.

Keep containers upright and safe by avoiding the possibility of falls or collisions.

Store in a cool place, away from sources of heat and 'direct exposure of sunlight.

Keep containers tightly closed.

Always store in well ventilated areas.

Never close the container tightly, leave a chance to vent

Keep away from open flames, sparks and heat sources. Avoid direct sunlight exposure.

## 7.3. Specific end use(s)

Private households:

Handle with care.

Store in a ventilated place away from heat sources.

Keep container tightly closed.

# **SECTION 8. Exposure controls/personal protection**

## 8.1. Control parameters

Related to contained substances:

propan-2-ol:

TLV: TWA 200 ppm 400 ppm as STEL A4 (not classifiable as a human carcinogen); (ACGIH 2004). MAK: 200 ppm 500 mg/m peak limitation Category: II (2); Risk group for pregnancy: C; (DFG 2004).

# 8.2. Exposure controls

Appropriate engineering controls:

Private households:

No specific control required.





# **EMOTION\_RD EXTRA**

Issued on 01/24/2018 - Rel. # 3 on 01/29/2019

#7/12

In conformity to Regulation (EU) 2015/830

# Individual protection measures:

- (a) Eye / face protection Not needed for normal use.
- (b) Skin protection
- (i) Hand protection

When handling the pure product use chemical resistant protective gloves (EN 374-1/EN374-2/EN374-3)

(ii) Other

Wear normal work clothing.

(c) Respiratory protection Not needed for normal use.

(d) Thermal hazards No hazard to report

Environmental exposure controls:

Use according to good working practices to avoid pollution into the environment.

# **SECTION 9. Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical and chemical properties	Value	Determination method		
Appearance	Liquid, yellow			
Odour	Charateristic			
Odour threshold	not determined			
рН	7	EPA 150.1 1982		
Melting point/freezing point	not determined			
Initial boiling point and boiling range	86°C	Phisical		
Flash point	14°C	ASTM D 93 (2006)		
Evaporation rate	not determined			
Flammability (solid, gas)	not determined			
Upper/lower flammability or explosive limits	not determined			
Vapour pressure	not determined			
Vapour density	not determined			
Relative density	0,819 kg/l	ASTM D1298-12b (2017)		
Solubility(ies)	not determined			
Water solubility	not determined			
Partition coefficient: n-octanol/water	not determined			
Auto-ignition temperature	not determined			
Decomposition temperature	not determined			
Viscosity	Cinematica: 7,4 mm2/s Dinamica: 6,06 cP	ASTM D445-18		
Explosive properties	not determined			
Oxidising properties	not determined			

# THD fragranze d'arredo

# **SAFETY DATA SHEET**

## **EMOTION RD EXTRA**

Issued on 01/24/2018 - Rel. # 3 on 01/29/2019

#8/12

In conformity to Regulation (EU) 2015/830

#### 9.2. Other information

No data available.

# **SECTION 10. Stability and reactivity**

## 10.1. Reactivity

No reactivity hazards

## 10.2. Chemical stability

No hazardous reaction when handled and stored according to provisions.

#### 10.3. Possibility of hazardous reactions

There are no hazardous reactions

## 10.4. Conditions to avoid

Avoid contact with combustible materials. The product could catch fire. heat, open flames, sparks or hot surfaces.

# 10.5. Incompatible materials

Nothing in particular.

# 10.6. Hazardous decomposition products

Does not decompose when used for intended uses.

# **SECTION 11. Toxicological information**

#### 11.1. Information on toxicological effects

ATE(mix) oral = 14.705,9 mg/kg ATE(mix) dermal = 37.500,0 mg/kg ATE(mix) inhal =  $\infty$ 

- (a) acute toxicity: based on available data, the classification criteria are not met
- (b) skin corrosion/irritationbased on available data, the classification criteria are not met
- (c) serious eye damage/irritation: If brought into contact with eyes, the product, causes significant irritations which may last for more than 24 hours.
  - (d) respiratory or skin sensitization: The product, if brought into contact with skin can cause skin sensitization.
  - (e) germ cell mutagenicity: based on available data, the classification criteria are not met
  - (f) carcinogenicity: based on available data, the classification criteria are not met
  - (g) reproductive toxicity: based on available data, the classification criteria are not met
- (h) specific target organ toxicity (STOT) single exposure: based on available data, the classification criteria are not met
  - (i) specific target organ toxicity (STOT) repeated exposurebased on available data, the classification criteria are not



## **EMOTION RD EXTRA**

Issued on 01/24/2018 - Rel. # 3 on 01/29/2019

#9/12

In conformity to Regulation (EU) 2015/830

met

(j) aspiration hazard: based on available data, the classification criteria are not met

Related to contained substances:

propan-2-ol:

Routes of exposure: the substance can be absorbed into the body by inhalation of its vapour.

INHALATION RISK: A harmful contamination of air sar reached quite slowly due to evaporation of the substance at 20 C; However, for spraying or scattering, much more quickly.

Effects of short-term exposure: the substance is irritating to eyes and respiratory tract pu substance determining effects on the central nervous system, causing depression. Exposure far above the OEL pu lead to unconsciousness. Effects of long-term or repeated: liquid degreasing characteristics.

Acute hazards/symptoms INHALATION cough. Vertigo. Drowsiness. Headache. Sore throat. See If Swallowed. SKIN dry skin.

EYE Redness.

SWALLOWED, abdominal pain. Respiratory difficulties. Nausea. A State of unconsciousness. Vomiting. (Further see inhalation).

NOTE The use of alcoholic beverages enhances the harmful effect.

LD50 (rat) Oral (mg/kg body weight) = 2100

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 2100

# **SECTION 12. Ecological information**

## 12.1. Toxicity

The product is dangerous for the environment as it is toxic to aquatic organisms following acute exposure.

Use according to good working practices to avoid pollution into the environment.

# 12.2. Persistence and degradability

No data available.

# 12.3. Bioaccumulative potential

No data available.

# 12.4. Mobility in soil

Related to contained substances:

propan-2-ol:

The pi product water and light fully miscible in 20 C.

Is lost by evaporation within one day. Large volumes can penetrate into the soil and contaminate groundwater.

# 12.5. Results of PBT and vPvB assessment

The substance / mixture NOT contains substances PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII



## **EMOTION RD EXTRA**

Issued on 01/24/2018 - Rel. # 3 on 01/29/2019

#10/12

In conformity to Regulation (EU) 2015/830

#### 12.6. Other adverse effects

No adverse effects

# **SECTION 13. Disposal considerations**

#### 13.1. Waste treatment methods

Do not reuse empty containers. Dispose of them in accordance with the regulations in force. Any remaining product should be disposed of according to applicable regulations by addressing to authorized companies.

Recover if possible. Operate according to local or national regulations

# **SECTION 14. Transport information**

#### 14.1. UN number

ADR/RID/IMDG/ICAO-IATA: 1266



ADR exemption because compliance with the following characteristics:

Combination packagings: per inner packaging 5 L per package 30 Kg

Inner packagings placed in skrink-wrapped or stretch-wrapped trays: per inner packaging 5 L per package 20 Kg

# 14.2. UN proper shipping name

ADR/RID/IMDG: PRODOTTI PER PROFUMERIA contenenti solventi infiammabili ADR/RID/IMDG: PERFUMERY PRODUCTS with flammable solvents ICAO-IATA: PERFUMERY PRODUCTS with flammable solvents

# 14.3. Transport hazard class(es)

ADR/RID/IMDG/ICAO-IATA: Class: 3

ADR/RID/IMDG/ICAO-IATA: Label: Limited quantities

ADR: Tunnel restriction code: D/E

ADR/RID/IMDG/ICAO-IATA: Limited quantities: 5 L

IMDG - EmS : F-E, S-D

# 14.4. Packing group

ADR/RID/IMDG/ICAO-IATA: III

#### 14.5. Environmental hazards

ADR/RID/ICAO-IATA: Product is environmentally hazardous IMDG: Marine polluting agent: Yes

## 14.6. Special precautions for user

The transport must be carried out by authorised vehicles carrying dangerous goods in accordance with the requirements of the current edition of the agreement and the provisions A.D.R national regulations.

The transport must be carried out in the original packaging and in packages that are made from materials resistant to the content and not likely to generate with this dangerous reactions. Employees to the loading and unloading of dangerous goods have received proper training on the risks presented by prepared and on possible procedures to be taken in the event of emergency situations

# THD fragranze d'arredo

## SAFETY DATA SHEET

## **EMOTION RD EXTRA**

Issued on 01/24/2018 - Rel. # 3 on 01/29/2019

#11/12

In conformity to Regulation (EU) 2015/830

## 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

It is not intended to carry bulk

# **SECTION 15. Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso category:

P5c - FLAMMABLE LIQUIDS E2 - ENVIRONMENTAL HAZARDS

REGULATION (EU) No 1357/2014 - waste:

HP3 - Flammable HP14 - Ecotoxic

## 15.2. Chemical safety assessment

No chemical safety assessment was carried out by the supplier

# **SECTION 16. Other information**

#### 16.1. Other information

Description of the hazard statements exposed to point 3

H225 = Highly flammable liquid and vapour.

H319 = Causes serious eye irritation.

H336 = May cause drowsiness or dizziness.

H315 = Causes skin irritation.

H335 = May cause respiratory irritation.

H412 = Harmful to aquatic life with long lasting effects.

H302 = Harmful if swallowed.

H400 = Very toxic to aquatic life.

H410 = Very toxic to aquatic life with long lasting effects.

H317 = May cause an allergic skin reaction.

H318 = Causes serious eye damage.

H411 = Toxic to aquatic life with long lasting effects.

H311 = Toxic in contact with skin.

Classification based on data of all mixture components

#### **GENERAL BIBLIOGRAPHY:**

- Council Regulation (EC) 1907/2006 of the European Parliament (REACH)
- Regulation (EC) 1272/2008 of the European Parliament (CLP) and subsequent updates
- Council Regulation (EC) no 758/2013 of the European Parliament
- Regulation (EC) no 2015/830 of the European Parliament
- Regulation (EC) No 528/2012 European Parliament and subsequent updates
- Commission Regulation (EC) No 790/2009 of 10 August 2009
- Commission Regulation (EU) No 286/2011 of 10 March 2011
- Commission Regulation (EU) No 618/2012 of 10 July 2012
- Commission Regulation (EU) No 487/2013 of 8 May 2013
- Council Regulation (EU) No 517/2013 of 13 May 2013
- Commission Regulation (EU) No 758/2013 of 7 August 2013
- Commission Regulation (EU) No 944/2013 of 2 October 2013



# **EMOTION RD EXTRA**

Issued on 01/24/2018 - Rel. # 3 on 01/29/2019

#12/12

## In conformity to Regulation (EU) 2015/830

- Commission Regulation (EU) No 605/2014 of 5 June 2014
- Commission Regulation (EU) 2015/491 of 23 March 2015
- Commission Regulation (EU) No 1297/2014 of 5 December 2014- Council Regulation (EC) 648/2004 of the European Parliament and subsequent updates
- The Merck Index
- Handling Chemical Safety
- Niosh Registry of Toxic Effects of Chemical Substances
- INRS Fiche Toxicologique
- Patty-Industrial Hygiene and Toxicology
- N.I. Sax-Dangerous properties of Industrial Materials-7 Ed., 1989

## Note to the user:

the information in this tab are based on knowledge available to us on the date of the latest version.

The user must ensure the fitness and completeness of the information in relation to the specific use of the product.

You should not interpret it as a guarantee of any specific property of the product.

For the use of the product does not fall under our direct control, the obligation of the user to observe under their own liability laws and regulations on hygiene and safety. Do not assume liability for improper use.

This tab replaces and cancels all previous